

B544 SOFT MARINE

In order to meet growing expectations of the fabric market, Sanwil worked up Soft Marine which main characteristics is improved resistance to unfavourable weather conditions. Soft Marine is resistant to hydrolysis, UV rays, fungi, bacteria, oil, urine, sweat, alcohol, salt and sugar.

Soft Marine fabric is suitable as nautical upholstery and for furniture in hotels, restaurants, cafes, etc.






NO	PARAMETERES	UNIT	VALUE	METHOD / NORM
1.	Weight	g/m^2	≥ 640	PN-EN ISO 2286-2 ** Method A
2.	Thickness	mm	$\geq 1,0$	PN-EN ISO 2286-3 *
3.	Tensile strength - along - across	$\frac{daN}{5cm}$	≥ 30 ≥ 15	PN-EN ISO 1421 * Method 1
4.	Tearing strength - along - across	daN	$\geq 2,0$ $\geq 2,0$	PN-EN ISO 4674-1 *
5.	Adhesion - along - across	$\frac{daN}{5cm}$	$\geq 2,0$ $\geq 2,0$	PN-EN ISO 2411 *
6.	Flex resistance (in temp. of 20°C)	<i>The number of bends (in thousands)</i>	≥ 100	PN-75/C-89058 * BALLY's Method
7.	Abrasion resistance (MARTINDALE METHOD)	<i>cycles</i>	$\geq 80\ 000$ acceptable damage level 3	PN-EN ISO 5470-2 *
8.	Composition	Coating	PVC	100%
		Backing	Polyester	100%
9.	ATTESTS / CERTIFICATES	Hygienic Attest Light Resistance test – Xenotest Hydrolysis Resistance Test		
10.	Colour: The colour scheme in accordance with the product catalogue. If a minimum amount is ordered, there is a possibility of working up a new colour according to RAL, Pantone catalogue, etc. A slight shade difference is acceptable in different production lots.			
11.	The standard roll length:		40 lm	
	The standard width:		145 cm	

* without acclimatization

** without acclimatization and drying

B544 SOFT MARINE laundry guide

Apply			
Everyday dirt	Mild detergent, yellow soap solution preferably	Clean regularly with a sponge or a soft brush	Finally, clean the spot with a damp cloth and wipe dry (in order to remove the rest of the detergent)
Stains	25% solution of ethanol	Wipe gently with a soaked cotton swab	
Before application of another cleanser try a sample in an unexposed place and clean gently.			

Washing advice	
	Apply shampoo with a sponge, with fairly dry froth 20-40°C (do not wet the product)
	Do not wash!!! (delicate materials)
	Do not use chlorine bleach to clean up
	Do not iron!!! (do not expose to heated surfaces, e.g. a radiator)
	Do not dry-clean!!!

Do not apply!!!	
Wax polish	The application of the listed cleansers can stiffen the fabric and cause cracks, as well as change the colour and surface shine
Sprays	
Strong detergents	
Cleansers containing solvent	
Cleansers suitable for natural leather	
Do not apply cleansers suitable for washing eco-leather.	
Other cleansers may stiffen the fabric and cause cracks.	