



BELUGA

White Cap

BEL-3304

13-1008 TPX



White Cap

BEL-3304
13-1008 TPX



Ochre

BEL-3307
17-1340 TPX



Pearl Grey

BEL-3310
17-5102 TPX



Off white

BEL-3303
12-0104 TPX



Dune

BEL-3305
15-1225 TPX



Mocca

BEL-3315
19-1015 TPX



Blackbeard

BEL-3316
19-0000 TPX



Pure white

BEL-3302
11-0602 TPX

The colour samples are indicative and not intended as an exact replica of the actual colour of the product. Due to variations in monitor settings and colour



balances, colours are representative only and should not be construed as an exact colour match of the listed product. We advise you to request actual material

samples before ordering.



TEXTURE DETAIL:
Scale: 1:3

TECHNICAL SPECIFICATIONS

SECTOR

AUTOMOTIVE

- ✓ Caravans & RV
- ✓ General Automotive
- ✓ Mass Transportation
- ✓ Motorcycles

CONTRACT

- Healthcare
- Hospitality
- Office
- ✓ Outdoor
- Public Spaces
- Residential

MARINE

- ✓ Marine Exteriors
- ✓ Marine Interiors

DESIGN:

Faux Leathers

COMPOSITION:

Vinyl Topcoat

BACKING

Hi-Loft²[™]

PROTECTIVE FINISHES

PERMAGUARD[®]
SUPERIOR STAIN RESISTANCE

WIDTH:

137.00 cm

ROLL LENGTH:

30.00 m

WEIGHT:

657.00 gr/m²

FLAME RETARDANCY ₁

- EU: EN 1021 Part 1 & 2
- US: CAL TB 117-2013, Section E
- DE: DIN 4102 B2
- IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 & 3.2
- US: FMVSS 302
- (MED) Marine Equipment Directive (in its current valid version)

FINISHES AND TREATMENTS

- Antibacterial Protection
- PERMAGUARD[®]
- Anti-stain Finish
- >100.000 cycles Martindale (EN ISO 12947:1999 Part 2)
- Cold Crack -23°C
- Mildew resistant backing and face

- UV-Resistance XENOTEST DIN 54004/ NTC 1479
- QUV: ASTM D-4329/ CFFA-2 c2- Grey Scale / ISO 105 X12-A02
- Sulfide Stain Resistant
- Anti-static Finish

1 This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

TERMS AND CONDITIONS OF PRODUCT

SPRADLING® SPAIN
Telephone: **+34 938 655 719**
Fax: **+34 938 627 960**
E-mail: info.es@spradling.group

EURO SPRADLING S.L.U.
Carrer Garbí 3
Polígono industrial de Llevant | Sector C
08213 Polinyà
Barcelona, Spain

SPRADLING® UK
Telephone: **+44 (0) 1235 812329**
Fax: **+44 (0) 1235 815051**
E-mail: info.uk@spradling.group

SPRADLING UK LTD
Unit 5, Moorbrook Park
Didcot, Oxfordshire, OX11 7HP
United Kingdom

SPRADLING® GERMANY
Telephone: **+49 (0)4131 7098 4000**
Fax: **+49 (0)4131 7098 4010**
E-mail: info.de@spradling.group

SPRADLING INTERNATIONAL GmbH
Stadtkoppel 34
D-21337
Lüneburg, Germany

SPRADLING® USA Want to know more about our products in USA?

VISIT SPRADLING USA

