



# SILVERTEX®

Camel


122-2105

16-1144 TPX


New




**Camel**  
122-2105  
16-1144 TPX




**Skylight**  
122-2103  
14-4210 TPX



**Aluminium**  
122-2101  
14-4103 TPX




**Lotus**  
122-2099  
13-1504 TPX




**Orchid**  
122-2097  
18-2525 TPX




**Grenadine**  
122-2095  
19-1664 TPX




**Squash**  
122-2093  
14-0846 TPX




**Citrus**  
122-2091  
14-0627 TPX




**White**  
122-2089  
11-4800 TPX




**Ultra Violet**  
122-2104  
18-3838 TPX




**Coral**  
122-2102  
15-4309 TPX




**Teal**  
122-2100  
19-4517 TPX




**Rosé**  
122-2098  
14-1508 TPX




**Tomato**  
122-2096  
17-1564 TPX



**Petrol**  
122-2094  
18-4214 TPX



**Avocado**  
122-2092  
15-0533 TPX



**Ice Cream**  
122-2090  
12-0104 TPX



**Turquoise**  
122-3001  
18-4225 TPX




**Baltic**  
122-3066  
18-4032 TPX



**Jet**  
122-3068  
19-4110 TPX



**Forest**  
122-5063  
19-5917 TPX



**Basil**  
122-5020  
18-0435 TPX



**Celery**  
122-5019  
16-0632 TPX



**Aubergine**  
122-7001  
19-3514 TPX



**Rubin**  
122-6004  
19-1525 TPX



**Umber**  
122-1014  
19-1334 TPX



**Red**  
122-2011  
18-1658 TPX



**Mandarin**  
122-6061  
18-1250 TPX



**Safran**  
122-6065  
15-1054 TPX



**Orange**  
122-0013  
16-1439 TPX



**Ice**  
122-4004  
11-4301 TPX



**Sisal**  
122-1051  
14-1112 TPX



**Delft**  
122-3067  
19-4052 TPX



**Sapphire**  
122-3007  
19-4028 TPX



**Bottle**  
122-5010  
19-0822 TPX



**Pistacho**  
122-5008  
16-0532 TPX



**Sage**  
122-5009  
17-0510 TPX



**Raspberry**  
122-2016  
18-1614 TPX



**Wine**  
122-2064  
19-1532 TPX



**Magenta**  
122-7002  
18-2336 TPX



**Sunkist**  
122-2012  
18-1449 TPX



**Cobre**  
122-2003  
17-1340 TPX



**Melon**  
122-6062  
MET 15-1237 TPX




**Luggage**  
122-0073  
18-1124 TPX



**Cream**  
122-1077  
12-0105 TPX



**Champagne**  
122-1078  
16-1324-TPX



**Beige**  
122-1010  
16-1010 TPX



**Macadamia**  
122-0001  
15-4503 TPX



**Sandstone**  
122-0002  
16-1406 TPX




**Taupe**  
122-0009  
17-0808 TPX




**Shiitake**  
122-4012  
17-1410 TPX




**Meteor**  
122-4024  
18-1304 TPX



**Mocca**  
122-0005  
19-1015 TPX



**Plata**  
122-4001  
14-4203 TPX



**Sterling**  
122-4011  
17-1500 TPX



**Titanium**  
122-4010  
18-4005 TPX



**Storm**  
122-4002  
19-4215 TPX



**Graphite**  
122-4003  
19-0201 TPX



**Carbon**  
122-9002  
19-3902 TPX



**Black**  
122-9001  
19-0000 TPX

*The colour samples are indicative and not intended as an exact replica of the actual colour of the product. Due to variations in monitor settings and colour*



*balances, colours are representative only and should not be construed as an exact colour match of the listed product. We advise you to request actual material samples before ordering.*



**TEXTURE DETAIL:**  
Scale: 1:3

## TECHNICAL SPECIFICATIONS

### SECTOR

### AUTOMOTIVE

- ✓ Caravans & RV

- ✓ General Automotive
- ✓ Mass Transportation
- ✓ Motorcycles

#### CONTRACT

- ✓ Healthcare
- ✓ Hospitality
- ✓ Office
- ✓ Outdoor
- ✓ Public Spaces
- ✓ Residential

#### MARINE

- ✓ Marine Exteriors
- ✓ Marine Interiors

#### DESIGN:

Textile

#### COMPOSITION:

Vinyl / Urethane Topcoat

#### BACKING

Hi-Loft<sup>2</sup>™

#### PROTECTIVE FINISHES

**PERMABLOK<sup>3</sup>®**  
ADVANCED VINYL PROTECTION

#### WIDTH:

137.00 cm

#### ROLL LENGTH:

30.00 m

#### WEIGHT:

685.00 gr/m<sup>2</sup>

---

## FLAME RETARDANCY <sub>1</sub>

- EU: EN 1021 Part 1 & 2
- US: CAL TB 117-2013, Section E
- ES: UNE 23.727-90 1R/M.2
- FR: NF P 92-503/M2
- DE: DIN 4102 B2
- IT: UNI 9175 (1987) / UNI 9175/FA1 (1994) Classe 1.IM (UNO I EMME)
- AT: ÖNORM B 3825, Gruppe 1 - Schwerbrennbares Verhalten
- AT: ÖNORM A 3800 Teil 1, Qualmbildungsklasse Q1 - schwachqualmend
- IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 & 3.2
- US: FMVSS 302
- US: FAR 25/853
- (MED) Marine Equipment Directive (in its current valid version)
- ECE R118.02 (replaces Directive 95/28/CE) Annexes 6, 7 & 8
- EN 71-2:2006+A1:2007 - Safety of Toys - Parte 2: Flammability

## FINISHES AND TREATMENTS

- Antibacterial Protection
- Antifungal Protection

- Antimycotic Protection
- Cold Crack -29°C
- UV-resistance: 1000 hours, blue wool scale
- PERMABLOK3®
- Anti-stain Finish
- >300.000 cycles Martindale (EN ISO 12947:1999 Part 2)
- Mildew resistant backing and face
- UV-Resistance XENOTEST DIN 54004/ NTC 1479
- EN 71-3 Safety of Toys (Migration of certain elements)
- Sulfide Stain Resistant
- Anti-static Finish

1 This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

---

## TERMS AND CONDITIONS OF PRODUCT

---

**SPRADLING® SPAIN**  
Telephone: **+34 938 655 719**  
Fax: **+34 938 627 960**  
E-mail: [info.es@spradling.group](mailto:info.es@spradling.group)

**SPRADLING® GERMANY**  
Telephone: **+49 (0)4131 7098 4000**  
Fax: **+49 (0)4131 7098 4010**  
E-mail: [info.de@spradling.group](mailto:info.de@spradling.group)

**EURO SPRADLING S.L.U.**  
Carrer Garbí 3  
Poligono industrial de Llevant | Sector C  
08213 Polinyà  
Barcelona, Spain

**SPRADLING INTERNATIONAL GmbH**  
Stadtkoppel 34  
D-21337  
Lüneburg, Germany

**SPRADLING® UK**  
Telephone: **+44 (0) 1235 812329**  
Fax: **+44 (0) 1235 815051**  
E-mail: [info.uk@spradling.group](mailto:info.uk@spradling.group)

**SPRADLING UK LTD**  
Unit 5, Moorbrook Park  
Didcot, Oxfordshire, OX11 7HP  
United Kingdom

---

**SPRADLING® USA**    Want to know more about our products in USA?

VISIT SPRADLING USA 