



# ZANDER

Aqua Marine

ZAN-3121

16-5123 TPX



**Aqua Marine**

ZAN-3121  
16-5123 TPX



**True blue**

ZAN-3123  
19-4049 TPX



**Forest**

ZAN-3125  
19-5917 TPX




**Dove Grey**

ZAN-3113  
18-4005 TPX




**Auster**

ZAN-3111  
14-4002 TPX




**Pure white**

ZAN-3102  
11-0602 TPX



**Off white**

ZAN-3104  
12-0104 TPX



**White Cap**

ZAN-3105  
13-1008 TPX



**Light Yellow**

ZAN-3107  
13-0922 TPX



**Ochre**

ZAN-3118  
17-1340 TPX



**Méditerranée**

ZAN-3122  
18-4334 TPX



**Celestial**

ZAN-3124  
19-4028 TPX



**Blackbeard**

ZAN-3126  
19-0000 TPX




**Pearl Grey**

ZAN-3112  
17-5102 TPX



**Arctic Sky**

ZAN-3110  
13-4403 TPX



**Brilliant white**

ZAN-3103  
11-4301 TPX



**Ivory**

ZAN-3101  
12-0703 TPX



**Cream**

ZAN-3106  
13-0613 TPX




**Dune**

ZAN-3109  
15-1225 TPX



**Burgundy**

ZAN-3119  
19-1725 TPX



**Mocca**  
ZAN-3120  
19-1015 TPX



**Papaya**  
ZAN-3116  
16-1260 TPX



**Yellow**  
ZAN-3114  
14-0755 TPX



**Cherry**  
ZAN-3117  
18-1655 TPX



**Apricot**  
ZAN-3115  
15-1153 TPX




**Parchment**  
ZAN-3108  
15-1308 TPX

*The colour samples are indicative and not intended as an exact replica of the actual colour of the product. Due to variations in monitor settings and colour*



*balances, colours are representative only and should not be construed as an exact colour match of the listed product. We advise you to request actual material*

*samples before ordering.*



**TEXTURE DETAIL:**  
Scale: 1:3

## TECHNICAL SPECIFICATIONS

### SECTOR

#### AUTOMOTIVE

- ✓ Caravans & RV
- ✓ General Automotive
- ✓ Mass Transportation
- ✓ Motorcycles

#### CONTRACT

- Healthcare
- Hospitality
- Office
- ✓ Outdoor
- Public Spaces
- ✓ Residential

#### MARINE

- ✓ Marine Exteriors
- ✓ Marine Interiors

### DESIGN:

Faux Leathers

**COMPOSITION:**

Vinyl Topcoat

**BACKING**Hi-Loft<sup>2</sup>™**PROTECTIVE FINISHES****PERMAGUARD®**  
SUPERIOR STAIN RESISTANCE**WIDTH:**

137.00 cm

**ROLL LENGTH:**

30.00 m

**WEIGHT:**657.00 gr/m<sup>2</sup>**FLAME RETARDANCY <sub>1</sub>**

- EU: EN 1021 Part 1 & 2
- US: CAL TB 117-2013, Section E
- DE: DIN 4102 B2
- IMO FTP 2010 Code MSC.307 (88) Part 8 3.1 & 3.2
- US: FMVSS 302
- (MED) Marine Equipment Directive (in its current valid version)
- ECE R118 (replaces Directive 95/28/EC)

**FINISHES AND TREATMENTS**

- Antibacterial Protection
- PERMAGUARD®
- Anti-stain Finish
- >100.000 cycles Martindale (EN ISO 12947:1999 Part 2)
- Cold Crack -23°C
- Mildew resistant backing and face
- UV-Resistance XENOTEST DIN 54004/ NTC 1479
- QUV: ASTM D-4329/ CFFA-2 c2- Grey Scale / ISO 105 X12-A02
- Sulfide Stain Resistant
- Anti-static Finish

1 This term and any corresponding data refer to the typical performance in the specific tests indicated and should not be construed to imply the behavior of this or any other material under actual fire conditions.

**TERMS AND CONDITIONS OF PRODUCT**

**SPRADLING® SPAIN**  
Telephone: +34 938 655 719  
Fax: +34 938 627 960  
E-mail: [info.es@spradling.group](mailto:info.es@spradling.group)

**SPRADLING® GERMANY**  
Telephone: +49 (0)4131 7098 4000  
Fax: +49 (0)4131 7098 4010  
E-mail: [info.de@spradling.group](mailto:info.de@spradling.group)

Carrer Garbí 3  
Polígono industrial de Llevant | Sector C  
08213 Polinyà  
Barcelona, Spain

Stadtkoppel 34  
D-21337  
Lüneburg, Germany

**SPRADLING® UK**  
Telephone: +44 (0) 1235 812329  
Fax: +44 (0) 1235 815051  
E-mail: [info.uk@spradling.group](mailto:info.uk@spradling.group)

**SPRADLING UK LTD**  
Unit 5, Moorbrook Park  
Didcot, Oxfordshire, OX11 7HP  
United Kingdom

---

**SPRADLING® USA**    Want to know more about our products in USA?

VISIT SPRADLING USA 